



CROWN

M&Q

DREAM IN STONE

**DAZZLE
WITH
KALINGA**



QUARTZ, MARBLE & TERRAZZO

Product Catalogue

CROWN
M&Q
DREAM IN STONE

MARBLE & TERRAZZO





NAIROBI SERENA
HOTEL

THE
TRIDENT



ESBC



TAMARIND TREE



VILLAGE MARKET



EM
EASTLEIGH MALL



MI VIDA

AT GARDEN CITY, NAIROBI

tribe



DONVO PARK
APARTMENT HOMES




THE AGA KHAN UNIVERSITY



UHURU GARDENS



KALINGA QUARTZ




KALINGA

QUARTZ

Engineered quartz is a meticulously crafted material made from a combination of natural quartz crystals and resin. This results in a flawless and durable surface that offers remarkable strength and resistance to scratches, stains, and heat. Engineered quartz is commonly used as countertops in kitchens and bathrooms due to its sleek appearance, non-porous nature, and ability to maintain its pristine look over time.


PRODUCT APPLICATIONS




STAIRS




WALL CLADDING



LIFT LOBBY & DOOR JAMB
CLADDING



BESPOKE COUNTERS



EXQUISITE FLOORING



BATHROOM FLOORING
& WALL CLADDING

CERTIFICATIONS:



* Applicable for Quartz products only



*Please be advised that the patterns and colors in the photograph may differ from the actual product

QUARTZ COLLECTION



*Please be advised that the patterns and colors in the photograph may differ from the actual product

QUARTZ COLLECTION



*Please be advised that the patterns and colors in the photograph may differ from the actual product

QUARTZ COLLECTION



MOCCA CREME

*Please be advised that the patterns and colors in the photograph may differ from the actual product

QUARTZ COLLECTION



BLUE DIAMANTE

*Please be advised that the patterns and colors in the photograph may differ from the actual product

QUARTZ COLLECTION



SAHARA BEIGE

*Please be advised that the patterns and colors in the photograph may differ from the actual product

QUARTZ COLLECTION



GRIGIO DIAMANTE

*Please be advised that the patterns and colors in the photograph may differ from the actual product

QUARTZ COLLECTION



SNOW WHITE

*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA

ENGINEERED MARBLE



KALINGA

ENGINEERED MARBLE

KalingaStone Marble transcends other engineered stones with its superior artistry and pedigree. Home owners, Architects and designers have a natural affinity towards the KalingaStone Marble owing to its flawlessness and consistency to highlight the essence of their vision and bring it to life. However, it also offers the steadfastness and durability of quartz, making it an ideal addition to a bustling kitchen.

PRODUCT APPLICATIONS




WARDROBE PARTITIONS




WALL CLADDING



LIFT LOBBY CLADDING



BESPOKE FURNITURE



DAZZLING FLOORING



BATHROOM FLOORING
& WALL CLADDING

CERTIFICATIONS:



* Applicable for Quartz products only



*Please be advised that the patterns and colors in the photograph may differ from the actual product

MARBLE COLLECTION



*Please be advised that the patterns and colors in the photograph may differ from the actual product

MARBLE COLLECTION



AMELIA
*Please be advised that the patterns and colors in the photograph may differ from the actual product

MARBLE COLLECTION



EMPARADOR CHIARA
*Please be advised that the patterns and colors in the photograph may differ from the actual product


MARBLE



MAJESTIC GREY

*Please be advised that the patterns and colors in the photograph may differ from the actual product

MARBLE



AMELIA



BIANCO THASSOS



KALINGA

ENGINEERED TERRAZZO

KALINGA

ENGINEERED TERRAZZO

We present **Terrazzo** - a revolutionary product characterised by new-age design with an old-world charm that goes back 1500 years. It has carved a niche in the most renowned Italian structures. Today, Terrazzo stands as a symbol of everlasting beauty with the floor serving as a grand canvas waiting for its iconic designs to take shape.


PRODUCT APPLICATIONS



WARDROBE PARTITIONS




WALL CLADDING



DAZZLING FLOORING



LIFT LOBBY CLADDING



BESPOKE FURNITURE



BATHROOM FLOORING
& WALL CLADDING

CERTIFICATIONS:



* Applicable for Quartz products only




*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO



ROMA & CAFE



*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO



ROMA & CAFE



*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO



ROMA & CAFE




*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO



ROMA & CAFE



*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO




PALLADIANA
& VENATIAN




*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO



PALLADIANA
& VENATIAN



*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO



ELITE




*Please be advised that the patterns and colors in the photograph may differ from the actual product


KALINGA ENGINEERED TERRAZZO



ELITE



New Deluxe White



Exotic Green

*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO



ELITE



Supreme Brown



Savanna

*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO



ELITE




Deserto



Jade

*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO



ELITE



New White Dove




Mateo White

*Please be advised that the patterns and colors in the photograph may differ from the actual product


KALINGA ENGINEERED TERRAZZO



ELITE



Terra Cream




Silver Rock

*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA FLUTING ON TERRAZZO



Gold Dust - Fluting



Exotic Green - Fluting



Imperiale - Fluting



Deluxe white - Fluting



Docks Grey - Fluting



Ceppo - Fluting



Ceppo - Fluting



Ceppo - Fluting



Forum - Fluting

*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA TERRAZZO

AVAILABLE FINISHES




Distress




Honed



River Wash



Urban



Leather



KALINGA ENGINEERED TERRAZZO




*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO




*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED TERRAZZO



SILVER-ROCK



TERRA-CREAM




NOVONA




NEW-DELUXE-WHITE



TRENDY-GREY



NEW-WHITE-DOVE




EXOTIC-GREEN



DECO-WHITE



HUDSON-SKY



COLOSSEO



URBAN-WHITE



AMARALIGHT

*Please be advised that the patterns and colors in the photograph may differ from the actual product

KALINGA ENGINEERED MARBLE




Candy White.



Bianco venus



Cristallo



Crema nova



Classic Crystal



Dallia



Romeo

KALINGA ENGINEERED MARBLE



AURELIO-NUOVO



CLEOPATRA




GRIGIO-BILLIAME



GARDENIA



ALYSSA



EMPERADOR-CHIARA



DANTEA



CAMELIA




MAJESTIC-GREY



SLEEK-CONCRETE



PALLADIO-GREY



GRIGIO-CLASSICO



ARCADIO



MINTA-FLURRY

ENGINEERED TERRAZZO

TECHNICAL DATA SHEET

Terrazzo Marble is made in a block form, thus being unique in its characteristics and genre. The quality enables it to absorb less water, the higher performance of the stone is suitable for bathrooms, counter tops and vanity tops. Its structured finish is ideal for exterior cladding and outdoors.

TECHNICAL SPECIFICATIONS - TERRAZZO (Products are available in Tiles / Slabs / CTS)

Test Performed	Test Standards	Results
App. Density kg/dm ³	EN14617-1	2.40 - 2.6
Water Absorption %	EN14617-1	< 0.2
Flexural Strength (Mpa)	EN14617-2	10 to 18
Dimensional Stability	EN14617-12	Class A
Impact Resistance (joule)	EN14617-9	1.5 - 3.0 joule
Compressive Strength (Mpa)	EN14617-15	95 - 110
Abrasion Resistance	EN14617-4	Groove Length = 30mm - 40mm
Frost Resistance	DIN 52104	Complies with Standard
Surface Hardness (Moh's Scale)	EN 101	3.0 - 4.0
Chemical Resistance	EN14617-10	Class C1
Linear Thermal Expansion (30 °C - 60 °C) °C ⁻¹	EN14617-11	10 - 15 X 10 ⁻⁶
Fire Classification	EN 13501-1	Wall Cladding: A1-S1-d0, Flooring & Stairs: A1-fl-S1
Slip Resistance	EN 14231	Wet: >3 SRV, Dry: >35 SRV
Radiation	GB 6566-2010	Complies with requirement of standards
Thermal Shock Resistance	EN14617-6	No Visual defects after 20 cycle, Loss in Mass = 0.02% - 0.05%
Freeze & Thaw Resistance	EN14617-5	No defect after 25 freeze-thaw cycles.
Glossiness Reflection	%	> 75 %
Surface Slip Resistance HONED 400	DIN 51130	R9
Static Coefficient of Friction	ASTM C 1028	Dry: 0.8, Wet: 0.6
TERRAZZO SLAB SIZE : 304 X 125 cm		

MARBLE

TECHNICAL SPECIFICATIONS - MARBLE

Test performed	Test Standard	Results
App. Density kg/dm ³	ASTM C 97	2.40 - 2.55
	EN14617-1	2.40 - 2.55
Water Absorption %	ASTM C 97	< 0.1
	EN14617-1	< 0.1
Flexural Strength (Mpa)	ASTM C 880	20 - 40 (Dry/Wet)
	EN14617-2	25 - 35
Dimensional Stability	EN14617-12	Class A
Impact Resistance (joule)	EN14617-9	1.5 - 3.5 joule
Compressive Strength (Mpa)	ASTM C 170	105 - 160 (Dry/Wet)
	EN14617-15	110 - 150
Abrasion Resistance	EN14617-4	Groove Length = 30mm - 40mm
	ASTM C 241	Min 10
Frost Resistance	DIN 52104	Complies with Standard
Surface Hardness (Moh's Scale)	EN 101	4.0 - 5.0
Chemical Resistance	EN14617-10	Class C1
Linear Thermal Expansion (30 °C - 60 °C) °C ⁻¹	EN14617-11	15 - 20 X 10 ⁻⁶
Fire Classification	EN 13501-1	Wall Cladding: B-S1-d0, Flooring & Stairs: B-fl-S1
Surface Burning	ASTM E 84	Class A
Slip Resistance	EN 14231	Wet: >3 SRV , Dry: >35 SRV
Radiation	GB 6566-2010	Complies with requirement of standards
Thermal Shock Resistance	EN14617-6	No Visual defects after 20 cycle, Loss in Mass = 0.02% - 0.05%
Freeze & Thaw Resistance	EN14617-5	No defect after 25 freeze-thaw cycles.
Glossiness Reflection	%	> 85 %
Surface Slip Resistance HONED 400	DIN 51130	R9
Static Coefficient of Friction	ASTM C 1028	Dry: 0.8 , Wet: 0.6

Marble Slab Size: 304 X 125 cm

CERTIFICATIONS:



QUARTZ

Technical Specifications

Test Performed	Test Standards	Results
App. Density kg/dm ³	ASTM C 97	> 2.1
	EN14617-1	> 2.1
Water Absorption %	ASTM C 97	< 0.05
	EN14617-1	< 0.05
Modulus of Rupture (Mpa) (Dry/Wet)	ASTM C 99	55 - 65
Dimensional Stability	EN14617-12	Class A
Flexural Strength (Mpa)	ASTM C 880	40 - 60 (Dry/Wet)
	EN14617-2	50 - 60
Impact Resistance (joule)	EN14617-9	5 - 14.5 joule
Compressive Strength (Mpa)	ASTM C 170	150 - 250 (Dry/Wet)
	EN14617-15	170 - 240
Frost Resistance	DIN 52104	Complies with Standard
Surface Hardness (Moh's Scale)	EN 101	6.0 - 7.0
Abrasion Resistance	ASTM C 241	Min 25.0
	ASTM C 1243-93	Volume of Chord : V= 60.0 - 107.9 mm ³
	EN 14617-4	Chord Length = 21.0 - 22.5 mm
Stain Resistance	ANSI Z 124.6	Pass
Wear & Cleanability	ANSI Z 124.6	Pass
Cigarette Test	ANSI Z 124.6	Pass
Resistance to Acids	ASTM C 650	Not Affected
Chemical Resistance	ANSI Z 124.6	Pass
	EN14617-10	Class C4
Boiling Water Resistance	NEMA LD3-3.5	Pass / No effect
High Temperature Resistance	NEMA LD3-3.6	Pass / No effect
Linear Thermal Expansion (30 °C - 100 °C) °C ⁻¹	ASTM C 372-94	3.0 - 5.0 X10 ⁻⁵ per °C
	EN14617-11	13 - 26.0 X 10 ⁻⁶
Radiation	GB 6566-2010	Complies with requirement of standards
Fire Classification	EN 13501-1	Wall Cladding: B-S1-d0, Flooring & Stairs: B-ft-S1
Surface Burning	ASTM E 84	Class A
Slip Resistance	EN 14231	Wet: 13-21 SRV , Dry: 43-53 SRV
Thermal Shock Resistance	EN14617-6	No Visual defects after 20 cycle, Loss in Mass = 0.04% - 0.07%, Loss in flexural strength= 6.0% - 9.5%
Freeze & Thaw Resistance	ASTM C 1026	No damage after 20 freeze-thaw cycle
	EN14617-5	No defect after 25 freeze-thaw cycles.
Glossiness Reflection	%	55 - 70
Surface Slip Resistance HONED 400	DIN 51130	R9
Thermal Conductivity	EN 12664	0.435 - 0.485 W/(m.K)
Static Co-efficient of Friction	ASTM C 1028	Dry: 0.8 , Wet: 0.6

Quartz Slab Sizes: 315 X 145 cm / 325 X 165 cm / 330 x 200 cm

CERTIFICATIONS:





CROWN M&Q

DREAM IN STONE

Crown Marble & Quartz Limited
1st floor, Mustek Building, Crescent
Road

P.O. Box 66631-00800, Nairobi
Mobile: +254-797 333335,
Email: sales@crownmarble.co.ke



CROWN
M&Q

DREAM IN STONE

BUILD WITH
BASICS

A PROJECT PORTFOLIO

CMQ



SOME OF OUR CLIENTS



NAIROBI SERENA
HOTEL

THE
TRIDENT

tribe



THE AGA KHAN UNIVERSITY



UHURU GARDENS



TAMARIND TREE




MI VIDA

AT GARDEN CITY, NAIROBI



VILLAGE MARKET






LAVENDER BLUE GRANITE

KENYA BLACK GRANITE

IMPERIAL RED GRANITE



YELLOW MATU - HONED

YELLOW MATU - POLISHED



YELLOW MATU - HONED

LINEAR TRAVERTINE




NAIROBI SERENA
HOTEL


CROWN
M&Q
DREAM IN STONE

NAIROBI SERENA HOTEL



THE AGA KHAN UNIVERSITY

CROWN
M&Q
DREAM IN STONE



JHANSI RED GRANITE CLADDING



JHANSI RED GRANITE FLOORING



JHANSI RED GRANITE ON MAGNETIC CLADDING



JHANSI RED GRANITE FLOOR EDGING

AGA KHAN UNIVERSITY NAIROBI



RAJ BLACK GRANITE

CREMA SCURO SINTERED STONE

WHITE CRYSTAL PORCELAIN



RIVER WHITE GRANITE



WHITE NATURAL MARBLE




tribe

CROWN
M&Q
DREAM IN STONE



AGUSTO MARBLE



CAMELIA MARBLE

TRIBE HOTEL



ABSOLUTE BLACK



NEW PEACH WHITE




NEW PEACH WHITE



CATHOLIC UNIVERSITY STUDENT RESIDENCES




ARDISSA MARBLE




ALYSSA MARBLE


OUR GRANITE



ABSOLUTE BLACK




ALASKA GOLD




ASH BLACK



ASH BLACK



BLUE EYE



BALA FLOWER

OUR GRANITE



BLACK GALAXY



BLACK MARQUINI



BONANZA GOLD



CHERRY BROWN GRANITE



CHIMA PINK



COPPER SILK

OUR GRANITE



DESERT BROWN



GEM RED



GEORGE GRANITE



IMPERIAL RED



NOSARA GREEN



P WHITE


OUR MARBLE



BOTTICINO



CREMA MARFIL




EMPERADOR SCURO



GREEN MARBLE




GREEN ONYX



NERO MARQUINI


OUR MARBLE



RED MARBLE



SINAI PEARL



VALENTE



YELLOW MARBLE



AUGUSTO MARBLE



ZAFARANA ROSE

OUR SINTERED STONE



GALAXY STATUARIO



GOLDEN OTHELO




OPAL BLUE



M PACIFIC



PEARL ONYX



VOLGA BLUE

OUR QUARTZ



BIANCO DIAMANTE



BIANCO RIVER




CALCATA IMPERIAL



SANDY DIAMANTE



DESERT BROWN



GRIGIO DIAMANTE

OUR QUARTZ



CALCATTÀ



BLUE DIAMANTE



CRYSTAL WHITE



NERO DIAMANTE



SILVER GREY



BIANCO CRISTALLO



CROWN M&Q

DREAM IN STONE

Crown Marble & Quartz Limited
1st floor, Mustek Building, Crescent
Road


P.O. Box 66631-00800, Nairobi
Mobile: +254-797 333335,
Email: sales@crownmarble.co.ke



INTERIOR FILM PRODUCT CATALOGUE

Exotic Appearance





Humlegården
Body Oil
STOCKHOLM ATELIER
L. Olsson Skerfving
100 ml



GLOSS




CMQ - GM001-A

PREMIUM SOLID




CMQ - GM10-B

SOLID



CMQ - RS132-C



CMQ - RS172-C




CMQ - RS125-C

*Please be advised that the patterns and colors in the photograph may differ from the actual product

SOLID EMBOSS



CMQ - RS174-C




CMQ - RS101-C



CMQ - RS149-C




SOLID FABRIC



CMQ - SF002



CMQ - SF004



CMQ - SF008

*Please be advised that the patterns and colors in the photograph may differ from the actual product



METAL



CMQ - PM002-B



CMQ - PM002-B



CMQ - PM002-B

OUTDOOR



CMQ - US003-B



CMQ - UP003-B



*Please be advised that the patterns and colors in the photograph may differ from the actual product

CLASSIC WOOD



CMQ - PW119-B



CMQ - PW130-B



PREMIUM / BIG WOOD



CMQ - NW053-B



CMQ - BW002-B




*Please be advised that the patterns and colors in the photograph may differ from the actual product



LEATHER & WOOD



CMQ - ML14-C



CMQ - ML31-C



CMQ - CW621 -C

*Please be advised that the patterns and colors in the photograph may differ from the actual product

MARBLE



CMQ-BM005-C



CMQ-BM008-C



CMQ BM012-C



*Please be advised that the patterns and colors in the photograph may differ from the actual product

FIRE SAFETY



FIRE SAFETY

LG Z:IN Interior Film BENIF is recognized for product safety by passing domestic and global fire safety certification tests to protect the life and safety of customers in case of fire.

INDOOR SPACE



Flame Retardant Performance Test

It is a Korean flame retardant performance certification. It is a nationally accredited certification obtained by measuring the flame retardant performance of interior finishing materials, and only good products that have passed the test among the products produced are being sold by indicating whether they are flame retardant.

(Issuance of certification for each product)



CE Certification

It is a European Union(EU) safety verification standard. Not only the speed of fire, but also formaldehyde and heavy metal tests have been passed to prove the safety of the product for distribution in Europe.

(Certification No. 1121-CPR-KA5008)



UL certification

It has been certified for safety by conducting flame and smoke diffusion tests(UL723) by UL(Underwriters Laboratories), the global safety certification body.

(Certification No. R26170)



Japanese flame retardant and F☆☆☆☆ certification

It is a fire safety and eco-friendly certification for building materials by the Japanese Ministry of Land, Infrastructure and Transport. BENIF products have been certified to be safe from flame retardancy and harmful substances by conducting tests on calorific value, gas hazard, and formaldehyde (Only for Japan-exclusive colors, certification No. NM-5207 ~ NM-5215).

SHIP AND RAILROAD



Korean Register of Shipping Certification

It is a fire safety certification for ship materials granted by the Korean Register of Shipping. It has been recognized for its excellence as a standard for verifying and certifying fire safety and toxic gas emission not only for the product but also the production process.

(Certification No. CSP 05245-FP003, CSP 05245-PA001)



IMO certification

It is an international marine material safety standard certified by the British Lloyd's Register, and has been recognized for its excellent flame retardancy in international standards even for ships with no shelter in case of fire.

(Certification No. MED 1850026 & MED 1850108)



BENIF secured safety that can be used for railroads by conducting durability and safety tests of interior finishing materials for railroads by SGS testing institutes in India.

(Test standard EN45545 HL 3 Grade(R1))

ECO-FRIENDLY



ENVIRONMENTAL FRIENDLINESS

LG Z:IN Interior Film BENIF is constantly striving to minimize harmful substances to the human body and environment in consideration of the safety and environment of customers and builders, and communicates eco-friendly products with customers.

HUMAN FRIENDLINESS



Environmental sign certification

It is an official certification from the Ministry of Environment that is granted to products that keep the indoor space clean by measuring hazardous substances in building materials. BENIF flame-retardant products have obtained environmental sign certification by reducing harmful substances and environmental pollution in daily life, and do not use phthalate plasticizers. However, the stability in contact with food has not been verified, so please use with caution.
(Environmental Sign No. 18903, ※ Please check the certificate as there are colors that do not have certification.)



Atopy mark

BENIF products are recommended by the Korea Atopy Association as a product that can prevent atopy.
(Recommendation No. KAA-190212-04)

Children's activity space inspection

It is a system that the Ministry of Environment confirms in advance if the product is suitable for spaces where children are mainly active including children's play facilities, kindergartens, elementary schools, and others. BENIF flame retardant products secured an environmental label so can be used with confidence.



European textile product quality certification

It is a certification that verifies about 200 harmful substances for products that come into contact with the skin such as products/bedding/toys/interior materials. It is acceptable for use on children's toys and clothing. BENIF's general monochromatic products obtained the 1st class of this certification(Baby Class) for the first in the industry so can be used in toys and clothing for infants and toddlers under 3 years of age.
(Certification No. SE025 164519 TESTEX)

ENVIRONMENT FRIENDLINESS



Environmental Product certification

It is a system to induce environmental improvement by evaluating the environmental impact of the entire process from raw materials to production, distribution, use, and disposal. BENIF Wood products, that obtained the certification, strives to continuously improve the environment.
(Environmental Product Certification Label No. 2020-483)



Low carbon product certification

If the carbon footprint value is less than the maximum allowable carbon emission(average value of the carbon emission on the environmental product label of the same kind) or more than the minimum carbon reduction rate, it is certified by the Korea Environmental Industry & Technology Institute. By obtaining this certification, BENIF Solid is widely used as an environmentally friendly product.
(Environmental Product Certification Label No. 2019-030)